

SAFETY DATA SHEET

Revision Date 27-Mar-2024 Revision Number 5

1. Identification

Product Name 1,1,1,3,3,3,-Hexafluoro-2-propanol

Cat No. : A12747

CAS No 920-66-1

Synonyms HFIP; 1,1,1,3,3,3-Hexafluoroisopropanol

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill. MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity
Category 4
Acute dermal toxicity
Category 4
Acute Inhalation Toxicity - Vapors
Category 4
Skin Corrosion/Irritation
Category 1
Serious Eye Damage/Eye Irritation
Category 1
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

Causes severe skin burns and eye damage
May cause respiratory irritation
Harmful if swallowed, in contact with skin or if inhaled



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Use only outdoors or in a well-ventilated area

Do not breathe dust/fume/gas/mist/vapors/spray

Response

Immediately call a POISON CENTER or doctor/physician

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eves

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Ingestion

Rinse mouth

Do NOT induce vomiting

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

ſ	Component	CAS No	Weight %
ſ	1,1,1,3,3,3-Hexafluoro-2-propanol	920-66-1	100

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Inhalation If not breathing, give artificial respiration, Remove from exposure, lie down, Do not use

> mouth-to-mouth method if victim indested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an Ingestion

unconscious person. Call a physician immediately.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric layage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

Notes to Physician

5. Fire-fighting measures

Suitable Extinguishing Media Water mist may be used to cool closed containers. Water spray. Carbon dioxide (CO₂). Dry

chemical. Cool containers with flooding quantities of water until well after fire is out.

Chemical foam. CO₂, dry chemical, dry sand, alcohol-resistant foam.

No information available **Unsuitable Extinguishing Media**

Flash Point No information available Method -No information available

Autoignition Temperature

Explosion Limits

Upper

Lower

No data available No data available Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge

No information available

No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂). Gaseous hydrogen fluoride (HF). Phosgene. Hydrogen chloride gas.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health Instability Physical hazards **Flammability** 3 0 0 N/A

6. Accidental release measures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate **Personal Precautions**

personnel to safe areas. Keep people away from and upwind of spill/leak.

Should not be released into the environment. **Environmental Precautions**

Methods for Containment and Clean Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Up

	7. Handling and storage
Handling	Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face

protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not

ingest. If swallowed then seek immediate medical assistance.

Storage. Keep container tightly closed. Corrosives area. Keep away from heat/sparks/open

flames/hot surfaces. - No smoking. Keep away from oxidizing agents. Keep refrigerated. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Strong oxidizing agents. Strong acids. Strong bases. Alcohols. Amines. nitrogen oxides (NOx). oxygen. Metals. copper. Butyl rubber. Finely powdered metals.

8. Exposure controls / personal protection

Exposure GuidelinesThis product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protectionWear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: low boiling organic solvent. Type AX. Brown. conforming to EN371. or. Organic gases and

vapours filter. Type A. Brown. conforming to EN14387.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Physical State Liquid Appearance Clear

Odor No information available
Odor Threshold No information available

pH Not applicable

Melting Point/Range -4 °C / 24.8 °F

Boiling Point/Range No information available 59 - 60 °C / 138.2 - 140 °F

Flash Point No information available Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure No information available

Vapor DensityNo information availableDensity1.619

Specific Gravity
No information available
No information available

Partition coefficient; n-octanol/water

Autoignition Temperature

No data available

No information available

Decomposition TemperatureNo information availableViscosityNo information available

Molecular FormulaC3 H2 F6 OMolecular Weight168.04

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under recommended storage conditions.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition. Excess heat.

Incompatible products.

Incompatible Materials Acids, Strong oxidizing agents, Strong acids, Strong bases, Alcohols, Amines, nitrogen

oxides (NOx), oxygen, Metals, copper, Butyl rubber, Finely powdered metals

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Gaseous hydrogen fluoride (HF), Phosgene,

Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization does not occur.

None under normal processing. **Hazardous Reactions**

11. Toxicological information

Acute Toxicity

Product Information

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
1,1,1,3,3,3-Hexafluoro-2-propanol	LD50 = 1500 mg/kg (Rat)	Not listed	LC50 = 1974 ppm (Rat) 4 h

Toxicologically Synergistic

Products

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
1,1,1,3,3,3-Hexafluoro-	920-66-1	Not listed				
2-propanol						

Mutagenic Effects No information available

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system None known STOT - repeated exposure

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation; Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness,

nausea and vomiting

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
1,1,1,3,3,3-Hexafluoro-2-pro	Not listed	LC50: 224 - 266 mg/L, 96h	Not listed	Not listed
panol		flow-through (Pimephales		
		promelas)		

Persistence and Degradability Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its volatility.

Component	log Pow
1,1,1,3,3,3-Hexafluoro-2-propanol	1.5

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN2922

Proper Shipping Name CORROSIVE LIQUIDS, TOXIC, N.O.S. Technical Name 1,1,1,3,3,3-Hexafluoro-2-propanol

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group II

TDG

UN-No UN2922

Proper Shipping Name CORROSIVE LIQUID, TOXIC, N.O.S.

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

IATA

UN-No UN2922

Proper Shipping Name CORROSIVE LIQUID, TOXIC, N.O.S.

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

IMDG/IMO

UN-No UN2922

Proper Shipping Name CORROSIVE LIQUID, TOXIC, N.O.S.

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

15. Regulatory information

United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification -	TSCA - EPA Regulatory

			Active-Inactive	Flags
1,1,1,3,3,3-Hexafluoro-2-propanol	920-66-1	Χ	ACTIVE	-

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

China, X = listed, Australia, U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Korea (KECL), China (IECSC), Japan (ENCS), Philippines (PICCS).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
1,1,1,3,3,3-Hexafluoro-2-propanol	920-66-1	Х	-	213-059-4	Х	Χ	Х	Х	Х	KE-18542

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

California Proposition 65 This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland This product does not contain any DHS chemicals.

Security

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH Not applicable

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
		Annex XIV - Substances	Annex XVIÌ - Restrictions	1907/2006) article 59 -
		Subject to Authorization	on Certain Dangerous	Candidate List of
		_	Substances	Substances of Very High
				Concern (SVHC)
1,1,1,3,3,3-Hexafluoro-2-propanol	920-66-1	-	-	-

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
1,1,1,3,3,3-Hexafluoro-2-prop anol	920-66-1	Not applicable	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

See table for values

Component	OECD PFAS	US (EPA) PFAS	EU (ECHA) PFAS	UK (HSE) PFAS	Chemsec PFAS (Sin
					List)
1,1,1,3,3,3-Hexafluoro-2-propanol	=	Listed	Listed	Listed	Listed
(CAS #: 920-66-1)					

PFAS Legend

Listed = Meets the PFAS definition of the named authority

Other International Regulations

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		Notification	Requirements		
1,1,1,3,3,3-Hexafluoro-2-prop anol	920-66-1	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Revision Date 27-Mar-2024 Print Date 27-Mar-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

Revision	Date	27-Mar-202	2
----------	------	------------	---

materials or in any process, unless specified in the text

End of SDS
